

CCR Tracking Number	Originating CLEC (Region)	CLEC Primary Contact Name	Interface Affecting	Status	Date Received
CCRAM 02-011	Choice One	Linda Peterman	Ordering (LEX, EDI)	Pending Review in 2/2003	6/11/02

**CLEC Verbatim Description:** Choice One, supported by multiple other CLECs, requests that functionality be added to LSOG5 (and above) to provide SBC with the capability of unrejecting Invalid System Rejects. Since CLECs must currently resolve such issues via resubmission of the effected orders manually, the impact to production, and therefore the CLEC's bottom line, is potentially enormous. In addition, ownership for resolution of these types of rejects should be on SBC, rather than on the CLEC.

This functionality existed in prior LSOG versions and was omitted from LSOG5 with the stated premise that SBC would direct its efforts toward expeditiously resolving the related defect as opposed to "fixing" specific order issues. The reality is that the CLEC Community has not seen the promised speed to resolution.

In addition, Performance Measure data is currently being (from the CLECs' perspective) adversely impacted. Invalid System Rejects are being "counted" as CLEC errors. This certainly brings the validity of Performance Measure Data into question.

#### SBC Response/Update:

- 2/21/03 This topic was discussed on the action item log. Please refer to Action Item #1 from 12/5/02 for the details of that discussion.
- 12/6/02 Change Management reported that the SBC SMEs had met once on this but needed additional time to determine how large a project this would be. The SMEs will provide a response in the January meeting. Status will be changed to Pending.
- 11/27/02 This will be addressed at the December 5<sup>th</sup> meeting.
- 11/7/02 Barb Scheiderer from CoreComm asked several questions about this request. She asked when was the first notification made to the CLECs of this process change. Change Management responded that it was made in the first Change Management meeting prior to the April 20, 2002 POR release in Ameritech. She inquired how this was determined to be "best practice" from among all the SBC regions. Change Management replied that this capability never existed in any of the other regions and this was discussed in the Collaboratives and identified there as something that would not be carried past POR. She asked if there were any PMs that were affected. Change Management replied that they were unsure because PMs are not a part of this forum. CLECs felt that PMs 5 and 9 were affected. CoreComm wants back the ability to unreject auto-auto invalid rejects. Change Management has brought this request to the attention of Glen Sirles, VP-OSS. He has indicated that this would be such a massive effort that no other work could be done in a future release if this were taken on. CoreComm asked to be able to do email rather than faxes as the workaround to not being able to unreject. Change Management reported that Glen supports this completely. SBC must make some internal changes first, but is already looking at getting that done.
- **7/11/02** Change Management reported that the Collaboratives focused on unrejecting manual rejects, and this process is in place in all regions. SBC is concerned about how universal a problem this is. Any changes made to SBC systems could adversely impact some CLECs' own systems. It is major rework for SBC. The originator disagreed with Change Management's statements that unrejecting was discussed only for manual rejects in the Collaboratives. Change Management stated that this request would be deferred until April 2003 and SBC would begin looking at it again at that time.
- **6/20/02** Four CLECs said in the meeting that the DRs were not getting fixed fast enough and that they still struggled daily with the fallout caused by the invalid system rejects. Change Management replied that the real solution to this problem is to fix the DRs faster, not diverting resources to re-code the unreject capability.
- **6/13/02 –** Change Management is investigating this request.
- 6/11/02 New CCR added to the log.

### ATTACHMENT 2

	Assistantians		State	Santraties
3 - 11/07/02	SBC will investigate the outage notification problems reported by the CLECs regarding EDI Pre-Order CSI/CSR functionality and provide information at the next AR CMP meeting.  12/5/02 CMP Meeting:  NEW ACTION ITEM: SBC to work with Availability Team and IS Call Center to look into systems that should be monitored by the A-Team and to ensure that there are no gaps in the process.	RCN/ TalkAmerica/ AT&T/ SBC	Pending	2/20/03 CMP Meeting – SBC stated that the internal team is still meeting on this and there is nothing new to report. RCN asked if Network outage notifications are also being addressed by this team. SBC responded that Network outage notifications are handled by another group. The Broadcast Notifications deal with OSS interfaces such as CORBA and EDI. The team is looking into whether there are other wholesale systems, such as middleware, that the Availability Team should be getting notification so it can be tracked in the Broadcast Notification process. TalkAmerica stated that it did not receive notification for a pre-ordering system that was down for one and one-half hours. TalkAmerica called the IS Call Center and was told that there was no trouble ticket open on it and SBC would check into the problem. TalkAmerica said that the system then began to work mysteriously. TalkAmerica expressed concern that CLECs are not advised of the root cause for the systems being down. TalkAmerica stated that there are occasions that the system begins to work while TalkAmerica is on the phone with the IS Call Center. SBC responded that it may have been the middleware problem and the representatives were not aware that they needed to go to Vantive, SBC's internal trouble ticket reporting/tracking system. The Vantive system is updated with current status of the trouble ticket. The OSS Support Managers have access to Vantive to look up status. SBC stated that when a trouble ticket is open in Vantive, the trouble ticket number assigned is the same as that provided to CLECs when they call into the MCPSC or the IS Call Center to get the trouble ticket number.

Applies State	British British	Comments
		1/16/03 CMP Meeting – SBC stated that no target date for completion of the review has been established. TalkAmerica and WorldCom stated that they did not receive a Broadcast Notification for a pre-ordering system that was down this week. They will send specific information on the outage to the CMP mailbox.
		1/10/03 – SBC internal team is in place that is looking into this.
		12/5/02 CMP Meeting - At RCN's complaint of the notification process during a recent outage of the EDI Pre-Order CSI/CSR functionality, Kathy King reported that investigation indicated no systemic problems in the broadcast notification process. The problem was with middleware; however, it is possible that the Availability team was not aware of the problem until after it was resolved. The team does not monitor middleware.
		ACTION ITEM: SBC to work with Availability Team and IS Call Center to look into systems that should be monitored by the A-Team and to ensure that there are no gaps in the process.
		11/22/02 – Will provide update at December All Regions CMP meeting.
		11/7/02 CMP Meeting - RCN reported that it had experienced a problem with the notification process during a recent outage of the EDI Pre-Order CSI/CSR functionality. RCN stated that there was no initial notification and the resolution notice was issued late. TalkAmerica stated that the System Status web site wasn't posted for the outage and AT&T stated that when the resolution was issued it did not state it was for CORBA, so the accuracy was also at fault.

	Action from		Status	CSTRTTCHTC
				SBC responded that it believed the outage had to do with the Middleware problems in the AIT region; it will investigate.
				<b>ACTION ITEM:</b> SBC will investigate the outage notification problems reported by the CLECs and provide information at the next AR CMP meeting.
1 - 12/05/02	SBC will add the discussion on Invalid System Rejects (CCR #AM02-011) to the January All Regions CMP meeting agenda.	CoreComm/ SBC	Pending Reference CCR AM02- 011	3/14/03 – Status to be provided at the March CMP meeting.  2/20/03 CMP Meeting – SBC stated that its track record for Version 5 is better and its track record for closing DRs is better with 5. In order to justify the expense of making a system modification, SBC has developed a report for invalid system rejects in 5. The LSC representatives have been trained to identify and capture this data. A DSS report will be produced and the results will be shared with CLECs over the next few CMP meetings. There was discussion regarding how the information would be tracked, whether a supp would be sent through manually, whether it would be sent with comments in the REMARKS field, and if it would be sent to a special fax number. AT&T expressed two concerns. The first, AT&T stated that SBC needs to re-assess its decision to get rid of the process to unreject rejects in the Midwest region and not implementing this capability in SBC's other regions. AT&T stated that yesterday, it had 1,000 orders fall into this category. The alternative is to accept the rejected orders and process manually, which is not an efficient way to operate. The second concern raised by AT&T relates to how this situation is captured in the performance measures. SBC responded that AT&T's second concern has been escalated to Glen Sirles and it will be addressed outside of CMP. SBC

Security 1	ANGERICACIO	Friedrich George	Comprense
			prefers to fix the edit than to develop the capability to unreject. SBC will have to check on the details of the type of information that would be captured. ChoiceOne and CoreComm stated that this was not resolved in the six-month performance measure review. They were told by regulatory in the Midwest region that SBC was manually accounting for these. ChoiceOne stated that it was told by SBC that it was not aware of a mechanical way to capture the data, and it was originally escalated to the officer level. ChoiceOne stated that it is still SBC's error, but CLECs are having to do manual work to correct the problem. TalkAmerica asked if the information would be shown by CLECs so they can validate the information internally. AT&T stated that it would be helpful. SBC responded that it would most likely provide the information by CLECs if SBC creates a DSS. DCS asked how information on any work around would be captured. SBC responded that it would have to find out. SBC suggested that once the first report is produced, it can be reviewed and discussed. WorldCom stated that it sent a spreadsheet to its OSS Support Manager if the information would be helpful. WorldCom stated that it does not have a way to handle it manually.
			<b>2/14/03</b> - An update will be provided at the 2/20 CMP meeting.
			1/16/03 CMP Meeting – SBC stated that it had worked with a number of internal groups to analyze this request, looking at the issue from an IT perspective, M&P, and training. The analysis concluded that it would be very complicated and involve a significant amount of time to implement. Based on the various components involved in this request, it is estimated between \$500,000 to \$750,000 and a development cycle of 9 to 12 months. SBC does not think this is a good business

	Action Steen			Spinistopic
				decision.
				CLECs disagreed with SBC's position, reminding SBC that the primary issue is when SBC has coded incorrectly, not incorrect data on an LSR. SBC agreed to go back to the SMEs with CLECs concerns and return in February with a response.
				1/10/03 - Update to be provided at the January meeting.
				12/5/02 CMP Meeting - In reference to CoreCom's request for additional review of CCR Issue #AM02-011 (Unrejecting Invalid System Rejects) SBC had agreed to have an IT representative at the December meeting to discuss "Un-reject Functionality". Due to scheduling conflicts, it was not possible to have a spokesperson at the December meeting; SBC announced that this issue will be addressed at the AR CMP meeting January 16 <sup>th</sup> (meeting will be held in Chicago).
				ACTION ITEM: Add discussion on Invalid System Rejects to the January agenda.
4 -	SBC to check on order system limitations related to its	WorldCom/	Request	3/14/03 – SBC will ask to close this action item.
12/05/02	hours of availability in the AIT and SNET regions – limitations in the queue.	SBC	Closure Reference CCR03-005 & CCR03- 006	<b>2/20/03 CMP Meeting</b> – SBC stated that a response was provided directly to WorldCom. WorldCom has submitted two CCRs and this will also be tracked in the CCR log. WorldCom requested to leave this action item open until its new CCRs were discussed.
				<b>2/14/03</b> - An update will be provided at the 2/20 CMP meeting.
				1/16/03 CMP Meeting – The OSS Support Management team is currently researching this issue and expects to complete its research shortly. A response will

100	Archine Electric	Christian		Generalise
				be provided directly to WorldCom, and an update will be provided in the action item log. AT&T requested clarification on whether the queuing limitation is only applicable to WorldCom or if it applies to all CLECs.
				1/10/03 – Update to be provided at the January meeting.
				12/5/02 CMP Meeting - WorldCom complained that SBC's hours of availability, specifically in the AIT and SNET regions, are not adequate to process their order production on Sundays. It went on to state that on a Sunday it could only submit 4000 orders maximum. SBC responded that it would check on system limitations. (Note: WorldCom has been working with Mary Potter, Marilyn White and Jennifer Chevis of SBC on this complaint.)
				ACTION ITEM: SBC to check on order system limitations in the AIT region – limitations in the queue.
6 - 01/16/03	SBC will ensure the new prioritization process is documented in the Change Management Process	ChoiceOne/ SBC	Pending	3/14/03 – Update to be provided at the March CMP meeting.
	document.	350		2/20/03 CMP Meeting – CLECs requested to leave this action item open.
				<b>2/14/03</b> - It is on the list of updates. SBC will ask to close this action item.
9 - 01/16/03	2/20/03 Revised Action Item: SBC will revise its prior versioning document to outline its current proposal and distribute via Accessible Letter within the next couple of weeks. SBC will include a statement in the Accessible Letter that this versioning proposal will be discussed at the next CMP meeting.	CLECs/ SBC	Pending Reference CCR 02- 007	3/14/03 – Due to the March release, the subject matter experts were not available. This will be discussed at the April CMP meeting.
				<b>2/20/03 CMP Meeting</b> – SBC stated that it did not want to arrange another meeting with the versioning SMEs if there has been no change in the positions. SBC
	1/16/03 Original Action Item: SBC will schedule a		<u> </u>	stated that a significant amount of resources, time, and

	Action Stein	Enterior Oversion		Samuente.
	follow-up meeting to discuss versioning.			expense were required to develop the current versioning strategy. SBC built versioning per collaborative agreements. In order for SBC to consider making changes to the current versioning method, CLECs would need to agree to a compromise. WorldCom stated the document SBC provided for review at the last versioning meeting was misleading. WorldCom stated that SBC's document included three options in its proposal. However, during the meeting, it was made clear that there was only one option it would support. SBC responded that the document could have been made more clear by stating that these were the three options discussed previously. WorldCom suggested that SBC revise the document it previously distributed to show SBC's current proposal with its two options, the current versioning strategy and the SBC versioning proposal. SBC agreed to revise the prior document outlining its current proposal. SBC will distribute the revised document via Accessible Letter within the next couple of weeks. In addition, SBC will include a statement in the Accessible Letter that this proposal will be discussed at the next CMP meeting. It was agreed to change the language of this action item to reflect the new request by CLECs. Covad asked if the revised versioning document would address the new CCR it submitted. TalkAmerica stated that it had submitted a CCR previously and offered to talk to Covad off-line.  2/14/03 - SBC will host a call on versioning if CLECs feel there will be some movement from previous position.
10 - 01/16/03	SBC will check into providing a list of the third party vendors it uses that impact CLECs, along with the name and version of the software being used.	TalkAmerica/ SBC	Request Closure	3/14/03 – The information will be posted on 3/20 under the Connectivity tab at the EDI/CORBA Support web site ( <a href="https://clec.sbc.com/clec edisupport/">https://clec.sbc.com/clec edisupport/</a> ). Reference Accessible Letter CLECALLS03-031. SBC

	Action Them	o de companyo de c	States	Somments
12 01/16/03	SBC will discuss the following request regarding preorder from AT&T with the testing team and provide a response at the next CMP meeting:  • Allow CLECs to test when they need/want to test, without SBC involvement; OF  • Have CLECs submit a test plan each month, and allow CLECs to test against a particular test case more than one time.	AT&T, TalkAmerica, & McLeodUSA/ SBC	Monitor Review at July CMP Meeting	will ask to close this action item.  2/20/03 CMP Meeting – SBC stated that it has received legal and vendor approval to provide this information. Currently SBC's internal Corporate Communication group is reviewing this to see if there are impacts to any corporate policies, as in logos. After receiving the go ahead from Corporate Communications, the information will be posted to the web site and sent via Accessible Letter. Going forward, an Accessible Letter will be distributed notifying CLECs of any changes and the information will be updated and posted to the web site. It was agreed to leave this action item open until the information is distributed via Accessible Letter and is posted to the web site.  2/14/03 - SBC agrees to do this and the information should be posted before the March CMP meeting.  2/20/03 CMP Meeting - A summary of SBC's proposal to CLEC requested changes and responses to suggestions/questions presented at the 2/7/03 conference call are attached below. Also included are additional questions/discussion from the CMP meeting.  2/14/03 - A conference call was held on 2/7/03 to discuss CLEC requested changes to the pre-order testing process (Accessible Letter CLECALLS03-016 distributed 2/3/03). An update will be provided at the 2/20 CMP meeting.
13 -	McLeodUSA/CLECs will send to the CMP mailbox, a list	McLeodUSA/	Request	3/14/03 - No feedback received from CLECs. SBC

	Addingston	antikator Overen	Steller	Samments
01/16/03	of fields for which a note/reference should be included in the LSOR/LSPOR as to where to obtain the information in the Handbook.	McLeodUSA & CLECs	Closure	will ask to close this action item.  2/20/03 CMP Meeting – SBC stated that it has not yet received any comments from CLECs.  2/14/03 – Pending feedback from CLECs.
5 - 02/20/03	SBC will look into the possibility of including the testing window matrix and if approved, will include it with the revised 12-Month Development View before distributing with the minutes of this meeting.	WorldCom/ SBC	Pending	3/14/03 – Update to be provided at the March CMP meeting.
6 - 02/20/03	SBC will check to see if any of the projects listed on the current requested flow-through projects page has been committed to a release and indicate such on the revised version of the 12-Month Development View before it is posted to the web site.	Birch/ SBC	Pending	3/14/03 - Update to be provided at the March CMP meeting.
7 - 02/20/03	SBC will check into the notification process for IDL model changes.	AT&T/ SBC	Request Closure	3/14/03 – Any changes to the IDL structures fall under the CMP and follow the same notification timelines. If SBC needs to make a change outside of the quarterly releases, SBC would use the exception request process. SBC will ask to close this action item.

### All Regions Change Management Process Action Item Log

#### **Closed Action Items:**

Number	Action item	Section 2	Status	Comments
1 - 02/20/03	SBC will revise the 12-Month Development View to include both Accessible Letter number references regarding the retirement of PBSM before distributing with the minutes of this meeting.	SBC/ SBC	Closed 3/6/03	3/5/03 – The 12-Month Development View has been revised to include the Accessible Letter numbers.
2 - 02/20/03	SBC will revise the 1Q03 section of the 12-Month Development View to include a note that the retirement of W-CIWIN (pre-ordering app to app) has been delayed to 2Q03 before distributing with the minutes of this meeting.	SBC/ SBC	Closed 3/6/03	3/5/03 – The 12-Month Development View has been revised to include a note that the retirement of W-CIWIN (pre-ordering app to app) has been delayed to 2Q03.
3 - 02/20/03	SBC will revise the 2Q03 section of the 12-Month Development View to show that the retirement date of W-CIWIN (ordering GUI) is 6/30/03 before distributing with the minutes of this meeting	SBC/ SBC	Closed 3/6/03	3/5/03 - The 12-Month Development View has been revised to show that the retirement date of W-CIWIN (ordering GUI) is 6/30/03.
4 - 02/20/03	SBC will revise the 12-Month Development View to include a version retirement notation for the 1Q03 and 2Q03 releases before distributing with the minutes of this meeting.	AT&T/ SBC	Closed 3/6/03	3/5/03 - The 12-Month Development View has been revised to include a version retirement notation for the 1Q03 and 2Q03 releases.





#### **Accessible**

SBC Ameritech Bell **SBC Nevada Bell** 

SBC Pacific Bell

SBC SNET

**SBC Southwestern** 

Date: November 8, 2002

Number: CLECALLS02-138

Effective Date: November 11, 2002

Category: **OSS** 

Elicetive Date: Hovelinge: 11/1001

Subject: Universal Service Order Code (USOC) Search Tool Header Modification

Related Letters:

Attachment No

States

All Regions

Impacted:

Response Deadline: NA Contact: Change Management Mailbox at

sbccmp@camail.sbc.com


Conference Call/Meeting: NA

This Accessible Letter provides notification of modifications to the Universal Service Order Code (USOC) Search Tool.

Effective November 11, 2002, the following note will be added to the header on the USOC Search Tool:

**Note:** The USOC Search Tool returns data to be used when submitting SBC Local Service Requests (LSRs) for LSOR version 05.01 and above.

Please direct any additional questions to your Account Manager or the Change Management mailbox.



From: BRYAN, JANICE J (SWBT)

[mailto:jb7983@sbc.com]

Sent: Wednesday, October 09, 2002 3:22 PM

To: Willard, Walter W (Walt), NCAM;

Webber, Rebecca L,

NCAM

Cc: TEMPLE, MELONIE (SWBT)

Subject:

**RE: AIT LSOG 5 Directory** 

Listing question

For SWBT for Resale/UNE-P and Facility-based

CLEC Non Pub

applies to Main

Listings. However, in AIT I recently found

out that Non-pub

can apply to

additional listings. The issue is being researched in AIT.

For example

Telemangement Services may have Joint User/Client Main listing as Non Pub.

For facility-based CLECs additional NP

listings would not

apply. Again this

is being researched.

Once we get the accounts from AT&T we will

be in a better


position to

address your concerns.

Janice Bryan

Account Manager - Industry Markets

214 464-1053- Voice



#### ----Original Message-----

From: Willard, Walter W (Walt), NCAM

Sent: Wednesday, October 09, 2002 5:04 PM

To: 'BRYAN, JANICE J (SWBT)'; Webber, Rebecca L, NCAM

Cc: TEMPLE, MELONIE (SWBT)

Subject: RE: AIT LSOG 5 Directory Listing question

Janice,

The attached file of examples has 2 sections all of which are LAL - non pub,

I'm told. The total number of this sample is about 860.

Hope this helps.

Walt

<<LAL File.txt>>



```
#ifndef ansi t1 267 IDL
#define ansi_t1_267_IDL
//|-----
//| Directives
//|-----
#pragma prefix "tl.org"
// | -----
//| MODULE ansi t1 267
//|-----
module ansi_t1_267 {
 module LSOG6 {
//|-----
//| MODULE LpoType
// | -----
   module LpoType {
//|-----
//| Definitions - Generic
//|----
    typedef sequence<string> StringSetType;
    union StringSetTypeOpt switch(boolean) {
      case TRUE: StringSetType theValue;
    union StringTypeOpt switch(boolean) {
      case TRUE: string the Value;
    };
    struct ExtensionType {
      string
                       theTag;
      string
                       theValue;
    };
    typedef sequence<ExtensionType> ExtensionSetType;
    union ExtensionSetTypeOpt switch(boolean) {
      case TRUE: ExtensionSetType theValue;
    };
    struct StringExtType {
                       theValue;
      string
      ExtensionSetTypeOpt extensions;
    typedef sequence<StringExtType> StringExtSetType;
    union StringExtSetTypeOpt switch(boolean) {
      case TRUE: StringExtSetType theValue;
```

```
};
     struct LengthType {
      string
                           theValue;
      StringTypeOpt
                          theUnit;
      ExtensionSetTypeOpt extensions;
     };
     union LengthTypeOpt switch(boolean) {
      case TRUE: LengthType theValue;
     };
// |-----
// | Service Address
// |-----
     struct SvcAddrType {
      StringTypeOpt
                           SAPR;
      StringTypeOpt
                          SANO;
      StringTypeOpt
                          SANOR;
      StringTypeOpt
                          SASF;
      StringTypeOpt
                         SASD;
      StringTypeOpt
                          SASN;
      StringTypeOpt
                          SASS;
      StringTypeOpt
                          SATH;
      StringTypeOpt
                         LD1;
      StringTypeOpt
                         LV1;
      StringTypeOpt
                         LD2;
                         LV2;
      StringTypeOpt
      StringTypeOpt
                          LD3;
      StringTypeOpt
                          LV3;
      StringTypeOpt
                         CITY;
      StringTypeOpt
                          STATE;
      StringTypeOpt
                         ZIPCODE;
                         AAI;
      StringTypeOpt
      StringTypeOpt
                         AFT;
                         CAI;
      StringTypeOpt
      StringTypeOpt
                         CS;
      StringTypeOpt
                         DSIND;
                         FTWP;
      StringTypeOpt
      StringTypeOpt
                          LALOC;
      StringTypeOpt
                          LSO;
      StringTypeOpt
                          LST;
      StringTypeOpt
                         NPANXX;
      StringTypeOpt
                         WSOPI;
      StringTypeOpt
                         WTN;
      ExtensionSetTypeOpt extensions;
     };
     union SvcAddrTypeOpt switch(boolean) {
      case TRUE: SvcAddrType theValue;
     };
```

```
typedef sequence<SvcAddrType> SvcAddrSetType;
     union SvcAddrSetTypeOpt switch(boolean) {
       case TRUE: SvcAddrSetType theValue;
     };
// |-----
// | Listed Address
// |-----
     struct ListAddrType {
       StringTypeOpt LAPR;
StringTypeOpt LANO;
StringTypeOpt LASF;
                           LASD;
       StringTypeOpt
       StringTypeOpt
                            LASN;
                            LASS;
       StringTypeOpt
       StringTypeOpt
                            LATH;
                        LALOC;
LAST;
       StringTypeOpt
StringTypeOpt
StringTypeOpt
       StringTypeOpt LALO;
StringTypeOpt LISTADR;
       ExtensionSetTypeOpt extensions;
     };
     union ListAddrTypeOpt switch(boolean) {
       case TRUE: ListAddrType theValue;
// |----
// | Delivery Address
// |----
     struct DelAddrType {
       StringTypeOpt DDAPR;
StringTypeOpt DDANO;
StringTypeOpt DDASF;
                           DDASD;
DDASN;
DDASS;
       StringTypeOpt
       StringTypeOpt
StringTypeOpt
       StringTypeOpt
                            DDATH;
                           LD1;
       StringTypeOpt
       StringTypeOpt
                           LV1;
       StringTypeOpt
                           LD2;
       StringTypeOpt
StringTypeOpt
StringTypeOpt
                           LV2;
                            LD3;
                            LV3;
       StringTypeOpt
                          CITY;
       StringTypeOpt
                            STATE;
       StringTypeOpt
                            ZIP;
```

```
StringTypeOpt LALO;
      StringTypeOpt
                        DELADR;
      ExtensionSetTypeOpt extensions;
     };
     union DelAddrTypeOpt switch(boolean) {
      case TRUE: DelAddrType theValue;
     };
//|-----
//| Definitions - All Scenarios
//|-----
// |-----
// | Response Codes/Desc
// |-----
    struct ResponseInfoType {
      StringTypeOpt RESPC;
StringTypeOpt RESPD;
StringTypeOpt PRESPC;
StringTypeOpt PRESPD;
      ExtensionSetTypeOpt extensions;
     };
     typedef sequence<ResponseInfoType> ResponseInfoSetType;
     union ResponseInfoSetTypeOpt switch(boolean) {
      case TRUE: ResponseInfoSetType theValue;
     };
// |-----
// | Network
// |----
    struct NetworkInfoType {
      StringTypeOpt NC;
StringTypeOpt NCI;
StringTypeOpt SECNCI;
ExtensionSetTypeOpt extensions;
    };
     typedef sequence<NetworkInfoType> NetworkInfoSetType;
    union NetworkInfoSetTypeOpt switch(boolean) {
      case TRUE: NetworkInfoSetType theValue;
    };
//|-----
//| Definitions - CSI
//|-----
// |-----
// | Feature/FeatureDetail
// |----
    struct FfdType {
      StringTypeOpt FEATURE;
StringTypeOpt FEATUREDETAIL;
```

```
ExtensionSetTypeOpt extensions;
    };
    typedef sequence<FfdType> FfdSetType;
    union FfdSetTypeOpt switch(boolean) {
      case TRUE: FfdSetType theValue;
    };
// |-----
// | Listed Text
    struct ListedTextType {
      StringTypeOpt LTXNUM;
StringTypeOpt LTXTY;
StringTypeOpt LTEXT;
StringTypeOpt LPHRASE;
      StringTypeOpt
StringTypeOpt
    };
    typedef sequence<ListedTextType> ListedTextSetType;
    union ListedTextSetTypeOpt switch(boolean) {
      case TRUE: ListedTextSetType theValue;
    };
   |-----
   | Service
// |-----
    struct SvcInfoType {
11
    //
    | General details
    //
      StringTypeOpt
StringTypeOpt
                    NAME;
WTN;
      StringTypeOpt ECCKT;
StringTypeOpt SVCCFG;
11
    _______
    | Pic details
//
    |-----
      StringTypeOpt FPIC;
StringTypeOpt IPIC;
StringTypeOpt LPIC;
StrinaTvpeOpt PIC;
//
//
//
    | Hunting details
//
    ______
      StringTypeOpt HID;
      StringExtSetTypeOpt HTSEQ;
StringTypeOpt HNTYP;
      StringExtSetTypeOptStringSetTypeOpt
                                        TERS;
11
     |-----
//
    ! Feature/FeatureDetail details
     _____
//
      FfdSetTypeOpt FFDinfo;
    11
    | Did Trunk and Network details
//
```

```
//
                   RIN;
      StringTypeOpt
                      DO;
TGN;
      StringTypeOpt
      StringTypeOpt
      StringTypeOpt
                      TKQ;
      StringTypeOpt
                      TKID;
      StringTypeOpt
                      LTLI;
      StringTypeOpt
                      NC;
      StringTypeOpt
                      NCI;
                     SECNCI;
CHANNEL;
      StringTypeOpt
      StringTypeOpt
      StringTypeOpt
                       PUL;
      StringTypeOpt SGNL;
StringTypeOpt SSIG;
11
    _____
//
    | Blocking Exception details
    ______
//
      StringExtSetTypeOpt BLOCK;
11
    |----
    | Service Address details
//
    |-----
//
      SvcAddrTypeOpt SVCADDRinfo;
//
    ______
    | Extensions
//
//
    _____
      ExtensionSetTypeOpt extensions;
    typedef sequence<SvcInfoType> SvcInfoSetType;
    union SvcInfoSetTypeOpt switch(boolean) {
      case TRUE: SvcInfoSetType theValue;
    };
// |-----
  | Listing
    struct ListingInfoType {
    _____
11
//
    | General
    |-----
//
     StringTypeOpt LTN;
StringTypeOpt NSTN;
//
//
    | ContentAndFormat/Name
//
    _____
      StringTypeOpt LISTNM;
StringTypeOpt LNLN;
StringTypeOpt LNFN;
StringTypeOpt DES;
StringTypeOpt NICK;
                     TL;
TITLE1;
      StringTypeOpt
      StringTypeOpt
      StringTypeOpt
                       TITLE2;
      StringTypeOpt
                       TLD;
```

```
StringTypeOpt
                    TITLE1D;
     StringTypeOpt
                    TITLE2D;
    _____
11
    | ContentAndFormat/ListingText
11
    ______
//
     ListedTextSetTypeOpt LISTINGTEXTinfo;
11
    _____
    | ContentAndFormat/Telephone
11
     StringTypeOpt
               OMTN;
//
11
    | ContentAndFormat/Format
11
                   ADI;
     StringTypeOpt
     StringTypeOpt STYC;
11
11
    | ContentAndFormat/ListedAddress
    ______
//
     ListAddrTypeOpt
                   LISTADDRinfo;
    |----
11
    | Control/ListingID
//
               ALI;
     StringTypeOpt
    |----
11
11
    | Control/Advertising
11
    ______
                   YPH;
     StringTypeOpt
                   YPHV;
     StringTypeOpt
     StringTypeOpt
StringTypeOpt
                 SIC;
    |----
11
11
    | Control/MarketingUsage
    _____
11
                  DML;
NOSL;
     StringTypeOpt
     StringTypeOpt
                    TMKT;
     StringTypeOpt
    _____
11
11
    | Control/Sequencing
11
     StringTypeOpt
                   DNA;
                    LNPL;
     StringTypeOpt
                   PLA;
     StringTypeOpt
11
11
    | Control/DirectoryPlacement
11
                    RTY;
     StringTypeOpt
     StringTypeOpt
                    LTY;
     StringTypeOpt
                    EOS;
     StringTypeOpt
                    TOA;
     StringTypeOpt
                    PROF;
11
11
    | Control/DirectoryAssistance
11
    |----
     StringTypeOpt
                    DLNM;
11
    _____
11
    | Control/DirectoryPublishing
    ______
//
     StringTypeOpt
                    NAME;
```

```
StringTypeOpt DIRIDL;
StringTypeOpt DIRSUB;
StringTypeOpt DIRNAME;
StringTypeOpt BRO;
StringTypeOpt WPP;
StringTypeOpt OMSD;
StringTypeOpt STR;
// |-----
//
   | Extensions
//
    ______
    ExtensionSetTypeOpt extensions;
    };
    typedef sequence<ListingInfoType> ListingInfoSetType;
    union ListingInfoSetTypeOpt switch(boolean) {
      case TRUE: ListingInfoSetType theValue;
    };
// |-----
// | Delivery
// |-----
    struct DelInfoType {
     };
    typedef sequence<DelInfoType> DelInfoSetType;
    union DelInfoSetTypeOpt switch(boolean) {
      case TRUE: DelInfoSetType theValue;
// |-----
// | Account
// |-----
    struct AccountSectType {
     };
    union AccountSectTypeOpt switch(boolean) {
```

```
case TRUE: AccountSectType theValue;
    };
//|-----
//| Definitions - LQ
//|-----
// |----
// | F1
// |-----
    struct F1Type {
     StringTypeOpt F1DL;
StringTypeOpt F1DT;
ExtensionSetTypeOpt extensions;
    };
    typedef sequence<FlType> F1SetType;
    union F1SetTypeOpt switch(boolean) {
      case TRUE: F1SetType theValue;
    };
// |-----
// | F2
// |-----
    struct F2Type {
      StringTypeOpt F2DL;
StringTypeOpt F2DT;
      ExtensionSetTypeOpt extensions;
    };
    typedef sequence<F2Type> F2SetType;
    union F2SetTypeOpt switch(boolean) {
      case TRUE: F2SetType theValue;
// |-----
// | Bridge Tap
    struct BtapType {
     LengthTypeOpt BTL;
LengthTypeOpt BTLEN;
      ExtensionSetTypeOpt extensions;
    };
    typedef sequence<BtapType> BtapSetType;
    union BtapSetTypeOpt switch(boolean) {
      case TRUE: BtapSetType theValue;
    };
// |-----
// | Load Coil
// |-----
    struct LcoilType {
      StringTypeOpt LCT;
```

```
LengthTypeOpt LCL;
LengthTypeOpt LDSP;
        ExtensionSetTypeOpt extensions;
      };
      typedef sequence<LcoilType> LcoilSetType;
      union LcoilSetTypeOpt switch(boolean) {
        case TRUE: LcoilSetType theValue;
// |-----
// | SubSegment
// |----
      struct SubSegmentType {
       StringTypeOpt GA;
       LengthTypeOpt ILL;
LengthTypeOpt LLG;
       ExtensionSetTypeOpt extensions;
      };
      typedef sequence<SubSegmentType> SubSegmentSetType;
      union SubSegmentSetTypeOpt switch(boolean) {
        case TRUE: SubSegmentSetType theValue;
      };
// |----
// | Segment
// |-----
      struct SegmentType {
                         LCI;
LC;
LCA;
CHANPAIR;
TRMED;
LL;
LMSTAT;
TYCA;
CAPAC;
BOCAP;
BOOFF;
BORES;
        StringTypeOpt
                             LCI;
       StringTypeOpt
StringTypeOpt
        StringTypeOpt
        StringTypeOpt
       LengthTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
        StringTypeOpt
        LengthTypeOpt
       StringTypeOpt BORES;
StringTypeOpt ABP;
StringTypeOpt BTQ;
BtapSetTypeOpt BTAPinfo;
        SubSegmentSetTypeOpt SUBSEGMENTinfo;
        ExtensionSetTypeOpt extensions;
      };
      typedef sequence<SegmentType> SegmentSetType;
      union SegmentSetTypeOpt switch(boolean) {
        case TRUE: SegmentSetType theValue;
      };
//|-----
```

```
//| General Request/Response
// | -----
     struct GeneralRequest {
       StringTypeOpt
                           TXNUM;
       StringTypeOpt
                          TXTYP;
       StringTypeOpt
                          TXACT;
       StringTypeOpt
                          DTSENT;
       StringTypeOpt
                           CC;
       StringTypeOpt
                           CCNA;
       StringTypeOpt
                          APPRD;
       StringTypeOpt
                          CS;
                           EAN;
       StringTypeOpt
       StringTypeOpt
                           EATN;
                           ECCKT;
       StringTypeOpt
                          HUNT;
       StringTypeOpt
       StringTypeOpt
                           LCS;
       StringTypeOpt LNUM;
                            LOCCODE;
       StringTypeOpt
       StringTypeOpt-LNUM;
                    LSO;
StringTypeOpt
       StringTypeOpt
                           LST;
                         LST;
NPANXX;
       StringTypeOpt
       StringTypeOpt
                          QNR;
       StringTypeOpt
                           RESID;
                          TNTYPE;
       StringTypeOpt
       StringTypeOpt
                           TOS;
                           WTN;
       StringTypeOpt
       StringExtSetTypeOpt FETAVA;
       NetworkInfoSetTypeOpt NCNCI;
       StringExtSetTypeOpt REQNUM;
SvcAddrTypeOpt SVCADDRinfo;
       ExtensionSetTypeOpt extensions;
     };
     struct GeneralResponse {
       StringTypeOpt
                            TXNUM;
       StringTypeOpt
                          TXTYP;
       StringTypeOpt
                          TXACT;
                           DTSENT;
       StringTypeOpt
       StringTypeOpt
StringTypeOpt
                          CC;
                           CCNA;
       ResponseInfoSetTypeOpt RESPinfo;
       StringTypeOpt
                           ALTADDNUM;
       StringTypeOpt
                           CS;
       StringTypeOpt
                           DSIND;
                           EAN;
       StringTypeOpt
       StringTypeOpt
                           EATN;
       StringTypeOpt
                           ECCKT;
       StringTypeOpt
                           HNTRES;
       StringTypeOpt
StringTypeOpt
                           LNUM;
                           RESID;
       StringExtSetTypeOpt ALTLSO;
       StringExtSetTypeOpt APPRES;
       StringExtSetTypeOpt AVD;
```

```
StringExtSetTypeOpt  
                              FETAVA;
        StringExtSetTypeOpt FRESP;
StringExtSetTypeOpt IPICLIS;
StringExtSetTypeOpt LPICLIS;
        StringExtSetTypeOpt PICLIS;
        StringExtSetTypeOpt SVCCFG;
       StringExtSetTypeOpt TNRES;
SvcAddrSetTypeOpt SVCADDRinfo;
ExtensionSetTypeOpt extensions;
//|----
//| CSI Request/Response
//|----
      struct CsiRequest {
                              TXNUM;
        StringTypeOpt
        StringTypeOpt
                             TXTYP;
        StringTypeOpt
                             DTSENT;
                             CC;
        StringTypeOpt
                             CCNA;
        StringTypeOpt
                             AGAUTH;
        StringTypeOpt
        StringTypeOpt
                             AN;
                             ATN;
AUTHNM;
        StringTypeOpt
        StringTypeOpt
StringTypeOpt
                             DATED;
                             ECCKT;
        StringTypeOpt
                             SC1;
        StringTypeOpt
        StringTypeOpt
                             SC2;
        StringTypeOpt
                             WTN;
       SvcAddrTypeOpt SVCADDRinfo;
ExtensionSetTypeOpt extensions;
      };
      struct CsiResponse {
        StringTypeOpt
                              TXNUM;
        StringTypeOpt
StringTypeOpt
                             TXTYP;
                             DTSENT;
                          CC;
        StringTypeOpt
StringTypeOpt
                              CCNA;
        ResponseInfoSetTypeOpt RESPinfo;
       AccountSectTypeOpt ACCOUNTinfo;
SvcInfoSetTypeOpt SERVICEinfo;
        ListingInfoSetTypeOpt LISTINGinfo;
        ExtensionSetTypeOpt extensions;
      };
//| LQ Request/Response
//|-----
```

struct LqRequest {

```
StringTypeOpt
                        TXNUM;
 StringTypeOpt
                        TXTYP;
                        TXACT;
 StringTypeOpt
 StringTypeOpt
                        DTSENT;
                        CC;
 StringTypeOpt
                        CCNA;
 StringTypeOpt
                        LM;
 StringTypeOpt
                        MS;
 StringTypeOpt
 StringTypeOpt
                        NC;
 StringTypeOpt
                        NCI:
                        RESID;
 StringTypeOpt
 StringTypeOpt
                        SMC;
 StringTypeOpt
                        TOS;
                        WTN;
 StringTypeOpt
                      SVCADDRinfo;
 SvcAddrTypeOpt
 ExtensionSetTypeOpt extensions;
};
struct LqResponse {
                        TXNUM:
 StringTypeOpt
                        TXTYP;
 StringTypeOpt
 StringTypeOpt
                        TXACT;
 StringTypeOpt
                        DTSENT;
 StringTypeOpt
                        CC;
 StringTypeOpt
                        CCNA;
 ResponseInfoSetTypeOpt RESPinfo;
 StringTypeOpt
                       AVD;
 StringTypeOpt
                       AFS;
 StringTypeOpt
                       DLCTYPE;
 StringTypeOpt
                       DSSCP;
 LengthTypeOpt
                       ELL;
 StringTypeOpt
                       F1LPCP;
 StringTypeOpt
                       F2LPCP;
 StringTypeOpt
                        ILD;
                        LLT;
 StringTypeOpt
 StringTypeOpt
                        LM;
                        LPAC:
 StringTypeOpt
                        LSA;
 StringTypeOpt
 StringTypeOpt
                       LST;
 StringTypeOpt
                       NPANXX;
 StringTypeOpt
                       PGPRES;
                       RESID;
 StringTypeOpt
                        RSUIND;
 StringTypeOpt
                        RTF;
 StringTypeOpt
                        SMC;
 StringTypeOpt
                        SSC;
 StringTypeOpt
 StringTypeOpt
                        TC:
 StringTypeOpt
                        WCN;
                        LCQ;
 StringTypeOpt
                        LCOILinfo;
 LcoilSetTypeOpt
                        Flinfo;
 F1SetTypeOpt
 F2SetTypeOpt
                        F2info;
 StringExtSetTypeOpt LOOPSTAT;
 SvcAddrTypeOpt
                        SVCADDRinfo;
 SegmentSetTypeOpt
                        SEGMENTinfo;
```

```
ExtensionSetTypeOpt extensions;
     };
//|-----
//| SBC - LQ Response
//|-----
// |-----
// | PlantSegmentInfo
// |----
    struct PlantSegmentType {
      StringTypeOpt PLNTSEGFN;
StringTypeOpt PLNTG;
StringTypeOpt PLNTTC;
StringTypeOpt PLNTLEN;
      ExtensionSetTypeOpt extensions;
    };
    typedef sequence<PlantSegmentType> PlantSegmentSetType;
    union PlantSegmentSetTypeOpt switch(boolean) {
      case TRUE: PlantSegmentSetType theValue;
    };
// |-----
  | RepeaterInfo
  -----
    struct RepeaterType {
      StringTypeOpt RPETERLNG;
StringTypeOpt RPETERTYP;
      ExtensionSetTypeOpt extensions;
    };
    typedef sequence<RepeaterType> RepeaterSetType;
    union RepeaterSetTypeOpt switch(boolean) {
      case TRUE: RepeaterSetType theValue;
    };
// |-----
// | SEGtype
// |-----
    struct SegFnType {
      StringTypeOpt SEGFN;
LengthTypeOpt LFN;
      ExtensionSetTypeOpt extensions;
    };
    typedef sequence<SegFnType> SegFnSetType;
    union SegFnSetTypeOpt switch(boolean) {
      case TRUE: SeqFnSetType theValue;
    };
// |-----
// | SbcLqLoop
```

```
struct SbcLqLoop {
                             StringTypeOpt
                                                                                                         AVD;
                                                                                                     AFS;
DLCTYPE;
DSSCP;
ELL;
F1LPCP;
F2LPCP;
ILD;
                             StringTypeOpt
                             StringTypeOpt
                            StringTypeOpt
LengthTypeOpt
StringTypeOpt
                             StringTypeOpt
                          StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringTypeOpt
StringExtSetTypeOpt
FlantSegmentSetTypeOpt
PlantSegmentSetTypeOpt
PlantSegmentSetTypeOpt
StringStringStringOpt
StringStringOpt
StringStringOpt
StringExtSetTypeOpt
StringExtSetTypeOpt
PlantSegmentSetTypeOpt
Pla
                             StringTypeOpt
                            PlantSegmentSetTypeOpt PLANTSEGMENTinfo;
                            SegFnSetTypeOpt SEGFNinfo;
                            ExtensionSetTypeOpt extensions;
                      };
                     typedef sequence<SbcLqLoop> SbcLqLoopSetType;
                     union SbcLqLoopSetTypeOpt switch(boolean) {
                            case TRUE: SbcLqLoopSetType theValue;
                      };
// |-----
// | SbcLqResponse
// |----
                     struct SbcLqResponse {
                            StringTypeOpt
                                                                                                            TXNUM;
                            StringTypeOpt
                                                                                                           TXTYP;
                                                                                                        TXACT;
DTSENT;
                            StringTypeOpt
                            StringTypeOpt DTSEN
StringTypeOpt CC;
StringTypeOpt CCNA;
                            ResponseInfoSetTypeOpt RESPinfo;
                            SbcLqLoopSetTypeOpt LQLOOPinfo;
                            ExtensionSetTypeOpt extensions;
```

```
};
```

```
//| SBC - CSI Summary
//|-----
   | CsiSumType
struct CsiSumType {
     StringTypeOpt
                       WTN;
  StringTypeOpt
                     BILLON;
     StringTypeOpt CALLINGCARD;
  StringTypeOpt TRUNK;
     ExtensionSetTypeOpt extensions;
 };
typedef sequence<CsiSumType> CsiSumSetType;
union CsiSumSetTypeOpt switch(boolean) {
    case TRUE: CsiSumSetType theValue;
};
   |-----
struct CsiSummaryResponse {
 StringTypeOpt TXNUM;
StringTypeOpt TXTYP;
     StringTypeOpt TXACT;
     StringTypeOpt
                      DTSENT;
  StringTypeOpt
                      CC;
  StringTypeOpt
                       CCNA;
ResponseInfoSetTypeOpt RESPinfo;
     StringTypeOpt
                      ATN;
     CsiSumSetTypeOpt CSISUMinfo;
     ExtensionSetTypeOpt extensions;
//|-----
//| Order Status/POS Request/Response
  | FeatureInfo
    struct OsFeatureType {
      StringTypeOpt
                      SECTION;
                      USOCFID;
     StringTypeOpt
     StringTypeOpt
StringTypeOpt
                      FEATDES;
                      TYPE;
     ExtensionSetTypeOpt extensions;
    };
```

typedef sequence<OsFeatureType> OsFeatureSetType;

```
union OsFeatureSetTypeOpt switch(boolean) {
     case TRUE: OsFeatureSetType theValue;
    };
// |----
// | BulkWorkLoad
// |----
    struct BulkWorkLoadType {
     ExtensionSetTypeOpt extensions;
    };
    typedef sequence<BulkWorkLoadType> BulkWorkLoadSetType;
    union BulkWorkLoadSetTypeOpt switch(boolean) {
     case TRUE: BulkWorkLoadSetType theValue;
    };
// |----
// | Svc Order Detail
// |----
     struct SoDtlType {
     ExtensionSetTypeOpt extensions;
    };
    typedef sequence<SoDtlType> SoDtlSetType;
    union SoDtlSetTypeOpt switch(boolean) {
     case TRUE: SoDtlSetType theValue;
    };
    struct OsRequest {
                     TXNUM;
     StringTypeOpt
     StringTypeOpt
                     TXTYP;
```

```
StringTypeOpt
                         TXACT;
  StringTypeOpt
                         DTSENT;
  StringTypeOpt
                         CC;
                         CCNA;
  StringTypeOpt
                        PON;
 StringTypeOpt
                        WTN;
 StringTypeOpt
 StringTypeOpt
                        ATN;
                        ECCKT;
 StringTypeOpt
                        PORDDF;
  StringTypeOpt
                        PORDDT;
 StringTypeOpt
                        SOPDT;
 StringTypeOpt
                        SON;
 StringTypeOpt
                        AGAUTH;
 StringTypeOpt
                        RETRIEVEORDERS;
 StringTypeOpt
                        CC2;
 StringTypeOpt
                        SC1;
 StringSetTypeOpt
                         REGION;
 StringSetTypeOpt
 StringSetTypeOpt
                        FEATURE;
 ExtensionSetTypeOpt
                        extensions;
};
struct OsResponse {
                         TXNUM;
  StringTypeOpt
                         TXTYP;
  StringTypeOpt
                         TXACT;
 StringTypeOpt
                         DTSENT;
 StringTypeOpt
  StringTypeOpt
                         CC;
 StringTypeOpt
                         CCNA;
 ResponseInfoSetTypeOpt RESPinfo;
  StringTypeOpt
                         SON;
                        WTN;
  StringTypeOpt
                        ATN;
  StringTypeOpt
  StringTypeOpt
                        APPLDT;
 StringTypeOpt
                        SOCD;
                         SODD;
 StringTypeOpt
  StringTypeOpt
                         SOSFX;
  StringTypeOpt
                         CUSCODE;
                        CS;
  StringTypeOpt
                        SOISSDT;
  StringTypeOpt
                        SOSDD;
  StringTypeOpt
                        SOSTATCAT;
 StringTypeOpt
                         SOSTATCD;
  StringTypeOpt
  StringTypeOpt
                         SOSTATDES;
                        TYPID;
  StringTypeOpt
                         SOPDT;
  StringTypeOpt
  StringTypeOpt
                        ECCKT;
  StringTypeOpt
                        NAME;
                        CAI;
  StringTypeOpt
  StringTypeOpt
                        AAI;
                        APPTINFO;
  StringTypeOpt
                        MSDAPT;
  StringTypeOpt
  StringTypeOpt
                        ESTIMATEDMINUTES;
  StringTypeOpt
                        EXCHCD:
                        TICKET;
  StringTypeOpt
```

```
StringTypeOpt
                              TECHNICIAN;
       StringTypeOpt
                             FIELDWORK;
       StringTypeOpt
                             SOROUTE;
       StringTypeOpt
                             DPA;
       StringTypeOpt
                             RELEASED;
       StringTypeOpt FEATURES;
                      CENTER;
StringTypeOpt
       StringTypeOpt
                             FAILEDTEST;
       StringTypeOpt
                            MSDAPTDES;
       StringTypeOpt
                            MSDAPTCAT;
       StringTypeOpt
                             DAILYWORKLOADFORMC;
       StringTypeOpt
                             GROUP;
       BulkWorkLoadSetTypeOpt BULKWORKLOAD;
       SoDtlSetTypeOpt SVCORDERLISTinfo;
       StringSetTypeOpt
                            SODETAIL;
       StringSetTypeOpt
                             DISPATCHNOTES;
       StringSetTypeOpt
                            REMARKS;
       StringSetTypeOpt FEATURES;
OsFeatureSetTypeOpt FEATUREinfo
ExtensionSetTypeOpt extensions;
                              FEATUREinfo;
     };
   };
//| Typedef's
//|-----
   typedef LpoType::GeneralRequest
                                        AsRequest;
   typedef LpoType::GeneralResponse
                                       AsResponse;
   typedef LpoType::GeneralRequest
                                        LiRequest;
   typedef LpoType::GeneralResponse
                                        LiResponse;
   typedef LpoType::GeneralRequest
                                        LaRequest;
   typedef LpoType::GeneralResponse
                                        LaResponse;
   typedef LpoType::GeneralRequest
                                        SaRequest;
   typedef LpoType::GeneralResponse
                                        SaResponse;
   typedef LpoType::GeneralRequest
                                        ScRequest;
   typedef LpoType::GeneralResponse
                                        ScResponse;
   typedef LpoType::GeneralRequest
                                        TnaRequest;
   typedef LpoType::GeneralResponse
                                        TnaResponse;
   typedef LpoType::CsiRequest
                                        CsiRequest;
   typedef LpoType::CsiResponse
                                        CsiResponse;
   typedef LpoType::CsiSummaryResponse CsiSummaryResponse;
   typedef LpoType::CsiRequest
                                        DiRequest;
   typedef LpoType::CsiResponse
                                        DiResponse;
   typedef LpoType::LqRequest
                                        LqRequest;
   typedef LpoType::LqResponse
                                        LqResponse;
   typedef LpoType::SbcLqResponse
                                        SbcLqResponse;
```

```
OsRequest;
   typedef LpoType::OsRequest
   Typedef LpoType::OsResponse
                                OsResponse;
   PosResponse;
//|-----
/// Interfaces
//|-----
   interface LocationInquiry {
    void submit (
      in LiRequest req,
      out LiResponse rsp);
   };
   interface TelephoneNumberAssignment {
    void submit (
      in TnaRequest req,
      out TnaResponse rsp);
   };
   interface ServiceAvailability {
    void submit (
      in SaRequest req,
      out SaResponse rsp);
   };
   interface AppointmentScheduling {
    void submit (
      in AsRequest req,
      out AsResponse rsp);
   };
   interface CustomerServiceInformation {
    void submit (
      in CsiRequest req,
      out CsiResponse rsp);
  void submitCsiSummaryToSBC (
in CsiRequest req,
out CsiSummaryResponse rsp);
   };
   interface LoopQualification {
```

```
void submit (
       in
            LqRequest req,
            LqResponse rsp);
       out
     void submitToSBC (
           LqRequest req,
       in
            SbcLqResponse rsp);
       out
   };
   interface OrderStatus {
     void submit (
       in OsRequest req,
       out OsResponse rsp);
   };
interface ProvOrderStatus {
void submit (
in PosRequest req,
out PosResponse rsp);
};
};
};
```

#endif





Date: March 14, 2003 Number: CLECAMS03-021

Effective Date: N/A Category: **OSS** 

Subject: Follow-up on Line Loss Notifications Sent in Error

Related Letters: CLECAMS03-019 Attachment No.

States

**SBC Midwest Region 5-State** 

Impacted:

Issuing SBC ILECS: SBC Illinois, SBC Indiana, SBC Michigan, SBC Ohio and SBC Wisconsin

(collectively referred to for purposes of this Accessible Letter as "SBC

Midwest Region 5-State")

Response Deadline: NA Contact: Account Manager


Conference Call/Meeting: N/A

This is a follow-up to Accessible Letter **CLECAMS03-019** to provide CLECs with more information regarding the Line Loss Notification issue identified on 3/5/03 in the SBC Midwest Region 5-State. A fix for the problem was identified and was successfully deployed on March 7, 2003. Associated Line Loss Notifications have been validated as being correct since that time. The scenarios which were subject to the error were limited.

The problem occurred only when the following conditions existed and only in SBC Midwest Region 5-State:

- The winning CLEC had to be using LSOG 5
- The winning CLEC was converting only part of a multiline account, where the main TN used to identify the multiline scenario was being converted
- Under this scenario, another line that was not the original main TN gets repositioned on the remaining record to be the new main TN for the lines that remain with the existing carrier
- The system created an LLN for both the original main TN, which was correct, and the newly created main TN, which was not correct as it was not lost

The first occurrence of this problem was in May 2002, although it was not observed because of the limited occurrence of the scenario. The total count of all LLNs sent in error is 908. Thirtyeight CLECs received these LLNs. All affected CLECs will be contacted directly by their OSS Manager and provided specific information about their transactions and the volume affected.





## **Accessible**

Date: March 21, 2003 Number: CLECAMS03-022

Effective Date: March 20, 2003 Category: OSS

Subject: Line Loss Notifications Sent In Error

Related Letters: CLECAMS03-019 CLECAMS03-021 Attachment No

**SBC Midwest Region 5-State** 

Impacted:


States

Response Deadline: NA Contact: Account Manager

Conference Call/Meeting: N/A

This Accessible Letter, related to letters **CLECAMS03-019** and **CLECAMS03-021**, is to provide final resolution of the Line Loss Notification issue identified on 3/5/03. The root cause of the issue was incorrect programming caused by human error. Test cases had also failed to identify the problem and have been enhanced to more thoroughly cover this scenario in the future. As communicated in those prior Accessible Letters, a program fix was identified to correct the problem, which was successfully deployed on March 7, 2003. Associated Line Loss Notifications have been validated as being correct since that time.

All affected CLECs have been contacted by their OSS Manager and provided specific information about their transactions and the volume affected. If you have any further questions, please contact your OSS Manager.



From: HIMM, THOMAS O (PB) [mailto:th4767@sbc.com]

Sent: Wednesday, March 19, 2003 4:41 PM

To: Willard, Walter W (Walt), CSLSM

Cc: BRYAN, JANICE J (SWBT)

Subject: RE: Line Loss Notices Sent in errors

Walt.

I was provided some further explanation regarding the AIT LLN issue as described in Accessible Letters CLECAMS03-019 and CLECAMS03-021.

As far as what triggered the system to send LLN on the new main TN.

This was caused by a coding error in the logic to create LLN of which we were not aware of prior to March 5, 2003. This coding error caused a LLN to be sent when a new main TN was being established while remaining with AT&T on a partial migration when the previous AT&T main TN was being converted to another CLEC.

For further detailed information on the fix.

The code was analyzed and new code was develop to address the scenario communicated above so only the correct LLN would be sent. It was thoroughly tested and then deployed. Monitoring the LLNs has continued, no additional instances of the above situation have been detected since the fix was applied on March 7, 2003.

I have also been advised that a final Accessible Letter will be sent and expect it to be released within the next day or two.

Tom
Thomas Himm
Area Manager - OSS Customer Support
925-824-5601 (office)
925-901-1540 (fax)





## **Accessible**

SBC Ameritech Bell SBC Nevada Bell

SBC Pacific Bell

SBC SNET

SBC Southwestern

Date: September 19, 2002

Number: **CLECALLS02-111** 

Effective Date: July 30, 2002

Category: **OSS** 

Subject: Revised OSS Versioning Options as a Result of 13-State Discussion on Versioning

Related Letters: NA

Attachment No

States

All States

Impacted:

All States

Response Deadline: NA

Contact: Change Management email box at

sbccmp@camail.sbc.com

Conference Call/Meeting: Conference Call

Date/Time: Thursday, September 26th

Bridge: **800-215-4958 Passcode: 234789**#

1:00 CDT

RSVP to: NA

By: NA

Attached to this Accessible Letter are the revised versioning options as discussed at the 2-day meeting in Dallas on September 12<sup>th</sup> and 13<sup>th</sup>. Please note that SBC has added a third option for your review.

A follow-up conference call will be held on September 26<sup>th</sup>. See details above.



Alternative Versioning Strateg...

### **SBC Versioning Proposals – OSS**

At the August 8, 2002 Change Management Meeting, CLECs presented SBC with several key items surrounding the current SBC versioning strategy. As discussed at the meeting, both parties were to have reviewed the discussion points prior to the September CMP meeting. SBC captured discussion items surrounding the following:

- CLECs ability to be on more than one version simultaneously
- SBC to convert all CLEC data when moving to a new version
- CLECs desire not to have to flash cut to a new version
- Version by OCN/Company code or by Trading Partner ID
- Version by Request Type and OCN
- Version by Trading Partner ID, Request Type and OCN

Note: As discussed, not all of the issues are compatible and are actually in conflict with one another.

In response to these discussion points, SBC held several internal meetings with key Subject Matter Experts. The result of those meetings was a proposal presented to the CLECs on September 12<sup>th</sup> and 13<sup>th</sup>. A recommendation was made for SBC to explore 2 variations of the original proposal, which are outlined in Options 1 and 2 below. After further review, SBC determined that Options 1 and 2 do not address all of the issues raised. As a result, another alternative was developed and outlined in Option 3 below.

It should be noted that the following points apply to all three options:

- Applies to EDI Ordering, EDI Pre-Order, and CORBA Pre-Order only.
- The Pre-Ordering GUI (Verigate) will not be versioned, and will always reflect the highest version of the Local Service Pre-Ordering Requirements (LSPOR).
- The Ordering GUI (LEX) will not be versioned, and will always reflect the highest version of the Local Service Ordering Requirements (LSOR).
- As stated above, the SBC GUI's will not be versioned. For the LEX GUI, SBC will continue to perform conversions over release weekends as is standard practice today.
- Manual Forms utilized by CLECs will follow the same guidelines as the GUIs.
   As such, they will not be versioned.
- After LSOR releases, all new LEX or Manual Forms requests will originate in the highest LSOR version.

SBC's proposal is also contingent upon SBC being allowed additional flexibility for flow-through enhancements to prior/existing versions of software. SBC may at their discretion implement additional flow-through in prior versions to realize operational efficiencies in processing CLEC requests.

The CLEC testing window will remain unchanged. CLECs will be allowed access to the test environment for EDI ordering, EDI/CORBA Pre-Ordering and LEX GUI testing 37 days prior to an OSS LSOR/LSPOR release.

EDI and CORBA Pre-order already allow CLECs to be on multiple versions simultaneously. Supported versions for Pre-order will match supported versions for Order.

If agreement is reached on Option 3, SBC proposes that the Versioning Enhancement be implemented with LSOG 6, which is currently scheduled for June 2003.

#### Option 1

- CLECs will be able to be on multiple versions simultaneously.
- Versioning for EDI Ordering will be controlled at the PON level instead of the CC level. This will require all activity related to a PON to remain in the same version. All notifications will be returned in the same version as the originating PON, and supplemental orders must be in the same version as the original.
- SBC will continue to maintain 3 versions of software; however, the 3 versions
  will always be the most recent LSOR/LSPOR releases, and will not necessarily
  include more than one major LSOG version.
  - With this scenario, 05.03 would retire in December 2003, rather than 06.00. Example:
    - 05.03 March, 2003 (Retires on December 2003 release date).
    - 06.00 June, 2003
    - 06.01 September 2003
    - 06.02 December 2003
- SBC will allow CLECs 30 days post-implementation of a release to clear pipeline requests on a retiring version.
  - Example: In December 2003, version 05.03 will retire. Under this proposal, SBC would no longer accept new PONs in 05.03 effective with the 06.02 release date. For a period of 30 days, CLECs would be allowed to clear the pipeline of their existing pipeline requests. Any requests that remain in the pipeline at the end of the 30 days will be cancelled.
    - 05.03 Retires 12/03, but accepts supplemental activity for an additional 30 days.
    - 06.00 June, 2003
    - 06.01 September 2003
    - 06.02 December 2003
- CLECs will be required to pick either a single EDI version, the LEX GUI or FAX
  as a single option to receive Loss Notifications. CLECs using EDI will be
  required to update this option as versions retire.
- For EDI Ordering, SBC will require a change to the GSID (GS03 data element)
  when CLECs change versions. The version indicated by the GSID must match
  the version indicated in the RVER entry on the LSR. All orders within a GS
  envelope must be in the same version.
- Changes to the TPID (ISA06 data element) will not be necessary between versions. As documented in the SBC Interconnection Procedures document, SBC will continue to support 3 TPID/IP/PORT combinations.

#### Option 2

- CLECs will be able to be on multiple versions simultaneously.
- Versioning for EDI Ordering will be controlled at the PON level instead of the CC level. This will require all activity related to a PON to remain in the same version. All notifications will be returned in the same version as the originating PON, and supplemental orders must be in the same version as the original.
- SBC will continue to support 3 versions of software consisting of 2 LSOG versions with a single dot instance.
  - With this scenario, 06.00 would retire in December 2003, rather than 05.03. Example:
    - 05.03 March 2003
    - 06.00 June 2003 (Retires on December 2003 release date).
    - 06.01 September 2003
    - 06.02 December 2003
- SBC would no longer accept New LSRs in the retiring version 60 days prior to the OSS release that would retire the version.
  - Example: With the December 2003 implementation, version 06.00 will retire.
    Under this proposal, SBC would no longer accept new PONs in 06.00 sixty
    days prior to the December 2003 release date (Approximately 4/2003).
    Between April and June, CLECs would have to clear the pipeline of their
    existing requests. Any pipeline requests remaining in the retiring version on
    the release date will be cancelled.
    - 05.03 March 2003
    - 06.00 June 2003 Retires 12/03, but will no longer accept New LSRs in 4/2003.
    - 06.01 September 2003
    - 06.02 December 2003
- CLECs will be required to pick either a single EDI version, the LEX GUI or FAX
  as a single option to receive Loss Notifications. CLECs using EDI will be
  required to update this option as versions retire.
- For EDI Ordering, SBC will require a change to the GSID (GS03 data element)
  when CLECs change versions. The version indicated by the GSID must match
  the version indicated in the RVER entry on the LSR. All orders within a GS
  envelope must be in the same version.
- Changes to the TPID (ISA06 data element) will not be necessary between versions. As documented in the SBC Interconnection Procedures document, SBC will continue to support 3 TPID/IP/PORT combinations.

#### Option 3 - "New Proposal"

- CLECs will be able to be on multiple versions simultaneously.
- Versioning for EDI Ordering will be controlled at the PON level instead of the CC level. This will require all activity related to a PON to remain in the same version. All notifications will be returned in the same version as the originating

- PON, and supplemental orders must be in the same version as the original. (Unless the originating order is from a retired version.)
- SBC will continue to maintain 3 versions of software, however, the 3 versions will always be the most recent LSOR/LSPOR versions and will not necessarily include more than one major LSOG version.
  - With this scenario, 05.03 would retire in December 2003, rather than 06.00.
     Example:
    - 05.03 March 2003 (Retires on December 2003 release date).
    - 06.00 June 2003
    - 06.01 September 2003
    - 06.02 December 2003
- All active pipeline data in the retiring version will be converted to the version specified by the CLEC. CLECs will be required to notify SBC of their specified version at least 45 days prior to release weekend. In the event that SBC is not notified, all active pipeline orders will be converted to the lowest (or oldest) valid LSOR version. Supplements for converted requests should be submitted in this new version.
  - Example: In December 2003, version 05.03 will retire. Under this proposal, SBC would no longer accept new PONs in 05.03 effective with the 06.02 release date. Over release weekend, SBC would do a database conversion of CLEC requests in 05.03 that were in the active pipeline.
    - 05.03 Retires 12/03 SBC converts any active pipeline request.
    - 06.00 June, 2003
    - 06.01 September 2003
    - 06.02 December 2003
- CLECs will be required to pick either a single EDI version, the LEX GUI or FAX
  as a single option to receive Loss Notifications. CLECs using EDI will be
  required to update this option as versions retire.
- For EDI Ordering, SBC will require a change to the GSID (GS03 data element) when CLECs change versions. The version indicated by the GSID must match the version indicated in the RVER entry on the LSR. All orders within a GS envelope must be in the same version.
- Changes to the TPID (ISA06 data element) will not be necessary between versions. As documented in the SBC Interconnection Procedures document, SBC will continue to support 3 TPID/IP/PORT combinations.

#### TENTATIVE RELEASE SCHEDULE

#### Retirements noted for Options 1 & 3:

```
June 2003:
       06.00
       05.03
       05.02
       03.06 (7-state SWB, PB, NB) - Retiring Version
       04.02 (5-state AIT) - Retiring Version that "lives and dies" retires without conversion
       CMIS 2.3 (SNET) - Retiring Version that "lives and dies" retires without conversion
September 2003:
       06.01
       06.00
       05.03
       05.02 - Retiring Version
December 2003:
       06.02
       06.01
       06.00
       05.03 - Retiring Version
March 2004:
       06.03
       06.02
       06.01
       06.00 - Retiring Version
June 2004:
       07.00
       06.03
       06.02
       06.01 - Retiring Version
```

# ATTACHMENT 11

1	BEFORE THE ILLINOIS COMMERCE COMMISSION
2	THEINOIS COMMERCE COMMISSION
3	IN THE MATTER OF: )
4	ILLINOIS COMMERCE COMMISSION, ) On Its Own Motion, ) No. 01-0662
5	Investigation concerning )
6	Illinois Bell Telephone ) Company's compliance with ) Section 271 of the )
7	Telecommunications Act of 1996.)
•	Chicago, Illinois
8	February 5, 2003
9	Met pursuant to notice at 9:00 a.m.
10	BEFORE:
11	EVE MORAN, Administrative Law Judge. APPEARANCES:
12	MS. LOUISE A. SUNDERLAND, MR. MARK ORTLIEB, and MR. JOHN LENAHAN
13	225 West Randolph Street, Suite 25-A Chicago, Illinois 60606
14	Appearing for SBC of Illinois;
15	MR. DARRELL TOWNSLEY, MS. SHERRY LICHTENBERG 205 North Michigan Avenue, Suite 1100
16	Chicago, Illinois 60601  Appearing for WorldCom, Inc.;
17	ROWLAND & MOORE, by
18	MR. THOMAS ROWLAND 77 West Wacker Drive, Suite 4600
19	Chicago, Illinois 60601
20	Appearing for Cimco Communications, Forte Communications, XO Illinois and Globalcom;
21	
22	

1	APPEARANCES: (CONT'D)
2	SCHIFF, HARDIN & WAITE, by MR. OWEN E. MAC BRIDE
3	6600 Sears Tower
4	Chicago, Illinois 60606 -and-
5	MR. PETER HEALY 525 Junction Road, Suite 6000 Madison, Wisconsin 53717
6	Appearing for TDS Metrocom, LLC;
7	MR. ALLAN GOLDENBERG 69 West Washington Street, Suite 700
8	Chicago, Illinois 60602  Appearing for the Cook County State's
9	Attorney;
10	TABET, DI VITO, ROTHSTEIN, LLC, by MR. GINO L. DI VITO
11	180 North LaSalle Street, Suite 1510 Chicago, Illinois 60601
12	-and- MR. JESSE L. FENNER
13	1676 International Drive McLean, Virginia 22102-4828
14	Appearing for BearingPoint;
15	MS. CHERYL HAMILL, MR. TIMOTHY CONNOLLY, and MR. JOHN J. REIDY, III
16	222 West Adams Street Chicago, Illinois 60606
17	Appearing for AT&T Communications;
18	MR. MATTHEW L. HARVEY, MR. SEAN R. BRADY, and MS. NANCY WEBER
19	160 North LaSalle Street, Suite C-800 Chicago, Illinois 60601
20	Appearing for Staff of the ICC;
21	
22	

1	APPEARANCES: (CONT'D)	
2	MR. ANDREW WALKER	
3	1600 Market Street, Suite 1600 Philadelphia, Pennsylvannia 19103 Appearing for BearingPointe;	
4		
5	KERN & ASSOCIATES, by MR. JOHN P. KERN 2300 North Barrington Road, Suite 4	.00
6	Hoffman Estates, Illinois 60195	. 0 0
7	Appearing for the ICC.	
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21	SULLIVAN REPORTING COMPANY, by	
22	Steven T. Stefanik, CSR	

1		INDEX
2	Witnesses:	Cross
3	JOHN ERINGIS	2216,2336
4	MARY ANY QUINN MS. LITCHTENBERG	
5	MR. CONNOLLY	2264,2296,2313,2356,2404,2435, 2476,2482,2501,2516
6	MR. REIDY MR. HEALY	2293,2310,2480 2334,2375
7	MS. WEBER MR. ROLAND	2336,2352,2438,2469,2509,2511 2377,2448,2465,2467,2523
	MA. KOLAND	23/1,2440,2403,2401,2323
8		
9	E	XHIBITS
10	Number	For Identification In Evidence
11	Commission Phase Nos. 1 and 2	II
12	NOS. 1 and 2	
13		
14		
15		
16		
17		
18		
19		
20		
21		

- 1 possibilities.
- 2 Q. The set of personnel at BearingPoint that
- 3 is in process, since we know it's not complete
- 4 somehow in process of validation of this retail
- 5 data, the same or part of the same group that is
- 6 involved in the PMR 5 replication activity?
- 7 MR. JOHN ERINGIS: Yes.
- 8 Q. So it's not a separate group it's the same
- 9 individuals and work group performing that?
- 10 MR. JOHN ERINGIS: Yes.
- 11 Q. Is that scheduled on the same project basis
- 12 internally within BearingPoint?
- MR. JOHN ERINGIS: I'm not sure what you mean.
- 14 Q. I mean is there some staging going on here
- 15 where retail, you know, is done first or last or at
- 16 the same time as an equivalent set of data?
- 17 MR. JOHN ERINGIS: We're not able -- I don't
- 18 think we've been able to schedule our metrics work
- 19 that way.
- 20 Q. Okay.

21

22

- 1 CONTINUED CROSS-EXAMINATION
- 2 BY
- 3 MR. CONNOLLY:
- Q. Going to AT&T's Question 26. I'm going to
- 5 have a couple follow-up questions from earlier
- 6 also.
- 7 MS. CARLA MORREALE: For criteria 4-28 in order
- 8 to conduct our testing of this criterion,
- 9 BearingPoint uses server order images from the SBC
- 10 Ameritech system as its basis for determining which
- 11 orders should have generated line loss
- 12 notifications.
- 13 As such, it utilizes data after
- 14 submission. Details regarding the actual order
- 15 processes employed by the CLECs involved are not
- 16 visible to this test.
- 17 Q. Did you submit the orders through the test
- 18 CLEC for these 5,316 lines?
- 19 MS. CARLA MORREALE: Some of the test CLEC
- 20 orders may be within that sample. And to the
- 21 extent that the test CLEC orders generated or were
- 22 to generate a line loss notification, they would

- 1 have been included in that sample.
- Q. So there's live CLEC data and test CLEC
- 3 data?
- 4 MS. CARLA MORREALE: Right.
- 5 Q. You said server order --
- 6 MS. CARLA MORREALE: Service order images.
- 7 Q. That's on the SBC side of the world?
- 8 MS. CARLA MORREALE: That's correct.
- 9 Q. Into their service order system?
- 10 MS. CARLA MORREALE: That's correct.
- 11 Q. You did this testing during this one period
- 12 of time because -- can you explain the reasons for
- 13 doing that during June and not doing it over a
- 14 longer period of time or multiple times?
- MS. CARLA MORREALE: The test involved the
- 16 extraction of a large amount of data from SBC
- 17 Ameritech systems for the analysis.
- 18 The data that was examined for June 2002
- 19 met or satisfied the testing criterion that was
- 20 under evaluation.
- 21 Once this criterion was met, testing
- 22 ceased.

- 1 the notices go out within one hour of line loss.
- 2 One hour. So whether it's one hour, five hours,
- 3 five days, it's a failure.
- 4 And that activity is against test CLEC
- 5 orders where we have the ability to monitor, know
- 6 precisely when we received the line losses, and
- 7 that type of stuff. We do that against --
- 8 Q. I see.
- 9 MR. JOHN PRENDERGAST: The other order, TVV
- 10 4-28, is a larger sample over a shorter period, and
- 11 that is commercial volume.
- 12 And what we're looking for there is
- 13 whether the loss notification that should have been
- 14 generated was generated and existed in the SBC
- 15 system and before you ask, we don't have anyway of
- 16 measuring whether it got sent. We know it got
- 17 generated, it lived in the system. And that's what
- 18 that test reports on.
- 19 Q. You said for MI 13, John, it's one hour.
- 20 Isn't it one day?
- 21 MR. JOHN PRENDERGAST: I would have to look,
- 22 Tim, to be sure.

- 1 MS. WEBER: It's going to one day. The
- 2 evaluation that they did was one hour.
- 3 MR. JOHN PRENDERGAST: If it's not one hour,
- 4 we'll get back to you.
- 5 My recollection is that it --
- 6 MS. CARLA MORREALE: I got it. One hour.
- 7 BY MR. CONNOLLY:
- 8 Q. With 4-28, which is the accuracy of the
- 9 line loss activity? Did your evaluation go to the
- 10 accuracy of the notice? Did you look at the notice
- 11 document as to what it contained to determine if
- 12 that was accurate?
- MS. CARLA MORREALE: Yes, we did review the line
- 14 loss notification.
- 15 Q. For the accuracy of the content of that?
- 16 MS. CARLA MORREALE: Does it have the
- 17 appropriate CLEC, the appropriate telephone number,
- 18 et cetera.
- 19 Q. Appropriate dates, appropriate EDI formats?
- 20 MR. JOHN PRENDERGAST: No. Not -- it's an
- 21 internal table out of, at the time MOR/Tel that we
- 22 were pulling the data from.

- 1 So we're looking to see -- there's not
- 2 much in a line loss notification anyway, but
- 3 basically we are looking to see the proper CLEC
- 4 going to be notified and is the phone number there.
- 5 And it's a matching process that we do.
- These orders should have generated it.
- 7 Then we go looking for loss notifications that
- 8 match those criteria.
- 9 O. So I think that I understand that there's
- 10 another step or two after that table is generated
- in which the SBC system reads those entries and
- 12 creates EDI message records for EDI CLECs and
- 13 populates the necessary information according to
- 14 those EDI standards or protocols, and that -- and
- then sends those messages to the CLECs?
- MS. CARLA MORREALE: You're correct.
- 17 Q. And you don't have any opinion about how
- 18 reliable that process is or if that process even
- 19 works of that formatting and presentation of those
- 20 messages to the test CLEC or any other CLEC?
- 21 MS. CARLA MORREALE: Well, only through our
- 22 experience with the test CLEC and our receipt of